IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Christophe Pierrat et al.

Application No.:

Filed Herewith

Parent Appln. Group No.: 2825

Filed:

10/16/2003

Parent Appln. Examiner: Paul Dinh

For: "Displacing Edge Segments On A Fabrication Layout Based On Proximity Effects Model Amplitudes For

Correcting Proximity Effects"

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Date: October 16, 2003

INFORMATION DISCLOSURE STATEMENT

List of Sections Forming Part of This Information Disclosure Statement

The following sections are being submitted for this Information Disclosure Statement:

1. Identification of Prior Application in Which Listed Information Was Already Cited and for Which No Copies Are Submitted or Need Be Submitted

Section 1. Identification of Prior Application in Which Listed Information Was Already Cited and for Which No Copies Are Submitted or Need Be Submitted

This application relies, under 35 U.S.C. § 120, on the earlier filing date of prior application Serial No.: 09/728,885, filed on December 1, 2000, now allowed (U.S. Patent Number not yet known).

Copies of the documents listed on the accompanying Form PTO-1449 (22 pages) that are not enclosed were previously submitted in Application No. 09/728,885, from which this Application claims an earlier effective filing date.

Applicants respectfully request that the listed information be considered by the Examiner and be made of record in the above-identified application. If form PTO-1449 is enclosed, the Examiner is requested to initial and return it in accordance with MPEP § 609.

This statement is not intended to represent that a search has been made or that the information cited in the statement is, or is considered to be, material to patentability as defined in 37 C.F.R. § 1.56.

\boxtimes	This sta	atement c	qualifies under 37 C.F.R. § 1.97, subsection (b) because (check all that apply):
	\boxtimes	(1)	It is being filed within 3 months of the application filing date and is other than a continued prosecution application under § 1.53(d) OR
		(2)	It is being filed within 3 months of entry of a national stage OR
		(3)	It is being filed before the mail date of the first Office Action on the merits.
		(4)	It is being filed before the mailing of a first Office Action after the filing of a request for continued examination under § 1.114

Atty. Dkt. No.: NTI-019-5-1D

SN: Filed Herewith

	mailing	R. § 1.97(c). If this statement is being filed after the period specified in § 1.97(b), but before the g date of the earlier of a final office action under § 1.113, a notice of allowance under § 1.311, or an that otherwise closes prosecution in the application, then:
		a certification as specified in § 1.97(e) is provided below; or
		a fee of \$180.00 as set forth in § 1.17(p) is authorized below, enclosed, or included with the payment of other papers filed together with this statement.
		R. § 1.97(d). If this statement is being filed after the period specified in § 1.97(c), but on or before at of the issue fee, then:
	A.	a certification as specified in § 1.97(e) is completed below; and
٠	В.	a fee of \$180.00 as set forth in § 1.17(p) is authorized below, enclosed, or included with the payment of other papers filed together with this statement.
\boxtimes		thorization. Applicant believes NO fee is due. However, in the event a fee is found to be due, the issioner is hereby authorized to charge Deposit Account No. 50-0574 (Docket No. NTI-019-5-1D).
	• .	
Date:	10-	16-03 Signature of Practitioner
	o.: 1-408 ner No.:	Jeanette S. Harms, Reg. No. 35,537 Bever, Hoffman & Harms, LLP 29477
Service :	as EXPRE	at this correspondence is being deposited with the United States Postal ESS MAIL, Label No: EV 338 032 709 US addressed to: Mail Stop 1, Commissioner for Patents, P.O. Box 1450, Alexandria, VA, 22313-
/O// Date	16/03	Ruce AA Baumaun Signature: Rebecca A. Baumann

INFORMATION DISCLOSURE		ATTY. DOCKET NO.			CIAL NO.		
CITATION PTO-1449			APPLICANT Pierrat, et al.				
	110-1449	FILING DATE Filed Herewi	ith	GRO	OUP		
TI C			· · · · · · · · · · · · · · · · · · ·				·
EXAMINER'S INITIALS	PATENT NO.	DATE	PATENT DOCUMENTS NAME	CLA	SS	SUBCLASS	FILING DATE
	4,231,811	11/4/80	Somekh, et al.	14	8	1.5	9/13/79
	4,456,371	6/26/84	Lin	35	5	71	6/30/82
	4,902,899	2/20/90	Lin, et al.	25	0	492.1	6/1/87
	5,498,579	3/12/96	Borodovsky, et al.	43	7	250	6/8/94
	5,553,274	9/3/96	Liebmann	39	5	. 500	6/6/95
	5,636,002	6/3/97	Garofalo	35	5	53	10/31/95
	5,663,017	9/2/97	Schinella, et al.	43	0	5	6/7/95
	5,723,233	3/3/98	Garza, et al.	43	0	5	2/27/96
•	5,766,806	6/16/98	Spence	43	0	5	9/9/96
	5,821,014	10/13/98	Chen, et al.	43	0	5	2/28/97
	5,862,058	1/19/99	Samuels, et al.	36	4	491	5/16/96
	5,879,844	3/9/99	Yamamoto, et al.	43	0	30	12/20/96
	5,885,734	3/23/99	Pierrat, et al.	43	0	5	8/15/96
	5,900,338	5/4/99	Garza, et al.	43	0	5	8/15/97
	5,994,002	11/30/99	Matsuoka	43	0	5	9/4/97
	6,004,702	12/21/99	Lin	43	0	5	5/21/98
****	6,077,310	6/20/00	Yamamoto, et al.	71	6	19	1/29/99
	6,078,738	6/20/00	Garza, et al.	39	5	500.22	5/8/97
•		100			•		
4							
EXAMINER]		DATE CONSIDERED				

					1 نائلان	011
			Atty. Docket No.	Scrie	al No.	
INFORMATION DISCLOSURE		RE NTI-019-5-1D Filed Herewith				
CITATION PTO-1449			Applicant	,		
			PIERRAT, Chris	stophe		
			Filing Date	Group	p	
			Filed Herewith			
			U.S. PATENT DOCUM	IENTS		
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
	4,426,584	1/17/1984	Bohlen, et al.	250	492.2	6/3/1981
	4,895,780	1/23/1990	Nissan-Cohen, et al.	430	5	10/25/1988
	5,208,124	5/4/1993	Sporon-Fiedler, et al.	430	5	3/19/1991
	5,682,323	10/28/1997	Pasch, et al.	364	491	3/6/1995
52.5	5,958,635	9/28/1999	Reich, et al.	430	30	10/20/1997
	5,972,541	10/26/1999	Sugasawara, et al.	430	5	3/4/1998
	6,007,310	12/28/1999	Jacobsen, et al.	417 .	362	5/23/1997
	6,114,071	9/5/2000	Chen, et al.	· 430	5.	4/6/1998
	6,289,499	9/11/2001	Rieger, et al.	716	21	1/7/2000
	6,249,597 B1	6/19/2001	Tsudaka	382	144	12/17/1998

EXAMINER:	Date Considered:		
		2	84

INFORMATION DISCLOSURE		Atty. Docket No.	Seria Fil	l No. ed Herewith		
CITATION PTO-1449			Applicant PIERRAT, Christophe Group			
·			Filing Date Filed Herewith	· .		
EXAMINER'S	PATENT NO. DATE		U.S. PATENT DOCUM	CLASS	SUBCLASS	FILING
INITIALS						DATE
	6,014,456	1/11/2000	Tsudaka	382	144 .	7/15/1996
	6,154,563	11/28/2000	Tsudaka	382	144	12/17/1998
•	6,298,473 B1	10/2/2001	Ono, et al.	716	21	12/3/1998
	6,453,457 B1	9/17/2002	Pierrat, et al.	716	19	9/29/2000
	2002/0100004 A1	7/25/2002	Pierrat, et al.	716	5	3/15/2002

EXAMINER:	Date Considered:	

			Atty. Docket No.	Seri	al No.	
INFORMATION DISCLOSURE		NTI-019-5-1D	File	ed Herewith		
CITATION PTO-1449			Applicant			
			PIERRAT, Chris	stophe	•	
			Filing Date	Filing Date Group		
			Filed Herewith			•
*			U.S. PATENT DOCUM	IENTS	,	
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
	5,991,006	11/23/0199	Tsudaka	355	53	10/27/1997
	6,243,855 B1	6/5/2001	Kobayashi, et al.	716	19	9/29/1998
_	5,663,893	09-1997	Wampler et al.	716	19	
	6,416,907	07-2002	Winder et al.	430	5	
•	6,453,457	09-2002	Pierrat et al.	716	19	
	6,523,162	02-2003	Agrawal et al.	716	19	

EXAMINER:	Date Considered:	
	•	

			Atty. Docket No.	Seria	l No.		,		
INFORMATION DISCLOSURE CITATION			NTI-019-5-1D	Filed	Filed Herewith				
			Applicant						
	CTINANA A INS	7	PIERRAT, Christophe						
SUMMARY			Filing Date	Group	Group				
			Filed Herewith						
		FO	REIGN PATENT DOCU	JMENTS					
Ref ID	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANS			
						YES	NO		
00076	WO 00/67074 A1	11/9/2000	wo						
00077	WO 00/67075 A1	11/9/2000	wo						
00078	WO 00/67076 A1	11/9/2000	wo						

			<u> </u>					
INFORMATION DISCLOSURE			ATTY. DOCKET NO.			LIAL NO.	•	
	CITATION		NTI-019-5-1D		Fil	led Herewith	 	
	PTO-1449	APPLICANT Pierrat, et al.						
			FILING DATE Filed Herewith	,	GRO	OUP ·		•
		FOR	EIGN PATENT DOCUMENTS					
EXAMINER'S	PATENT NO.	DATE	COUNTRY	CLA	ss	SUBCLASS	TRANS	LATION
INITIALS		-		<u> </u>			YES	NO
	3-210560	9/13/91	ЛР					
	8-236317	9/6/96	JP .					
	10-133356	5/22/98	JP					
	11-143085	5/28/99	1b			·		
					-			
		·				* .		
						-		
				<u> </u>				
						•		
	<u> </u>							
	<u></u>							
EXAMINER		<u></u>	DATE CONSIDERED	<u>. </u>		1961	L	

INFORMATION DISCLOSURE			Atty. Docket No. NTI-019-5-1D	Serial	No. Filed Herewith		
CITATION DISCLOSURE CITATION PTO-1449		Applicant PIERRAT, Christ Filing Datc Filed Herewith	ophe Group				
	· · · · · · · · · · · · · · · · · · ·	FO	REIGN PATENT DOCU	UMENTS			
EXAMINER'S	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSI	ATION
INITIALS						YES	МО
,	3-80525	4/5/1991	JР				
	2,324,169 A	10/14/1998	GB				
	WO 99/47981	9/23/1999	wo		14119		

	•		
EXAMINER:		Date Considered:	

			31LL1 <u>-</u> 01 _
		Atty. Pocket No.	Serial No.
INFOR	MATION DISCLOSURE	NTI-019-5-1D	Filed Herewith
	CITATION	Applicant	,
	OVINENE A DATA	PIERRAT, Christ	tophe
	SUMMARY	Filing Date	Group
		Filed Herewith	
	OTHER DOCUMENTS	(Including Author, Titl	e, Date, Pertinent Pages, Etc.)
Ref ID	CITATION	<u> </u>	
00082	Barouch, E., et al., "OPTIMASK: An OPC 192-206, February 1995.	C Algorithm for Chrome and Phas	se-Shift Mask Design", SPIE, Vo. 2440, pp.
00084	Brunner, T., et al., "Approximate Models	for Resist Processing Effects", SF	PIE, Vol. 2726, pp. 198-207, March 1996.
00085	Brunner, T., "Rim Phase-Shift Mask Com Geometries", Optical Engineering, Vol. 3		: A Path to 0.5(lampda) / Numerical Aperture r 1993.
00086	Casey, Jr., J.D., et al., "Chemically Enhanced FIB Repair of Opaque Defects on Molybdenum Silicide Photomasks", SPIE, Vol. 3236, pp. 487-497 (1997).		
00087	Chang, K., et al., "Accurate Modeling of	Deep Submicron Interconnect Tec	chnology", TMA Times, Vol. IX, No. 3 (1997).
00094	Gans, F., et al., "Printability and Repair T Symposium On Photomask Technology A		
00099	Ham, Y.M., et al., "Dependence of Defec	ts in Optical Lithography", Jpn. J.	Appl. Phys., Vol. 31, pp. 4137-4142 (1992).
00101	Henke, W., et al., "A Study of Reticle De Using the Solid Lithography Simulator", I		onal Developed Profiles of Positive Photoresist 'p. 283-297 (1991).
00102	Ibsen, K., et al., "Clear Field Reticle Defe The 17th Annual Symposium On Photom		Half Micron Lithography", SPIE, Proceedings Of t, Vol. 3236, pp. 124-135 (1997).
00105	Ishiwata, N., et al., "Novel Alternating Ph Annual Symposium On Photomask Techn		ase Accuracy", SPIE, Proceedings Of The 17th 36, pp. 243-249 (1997).
00106	Jinbo, H., et al., "0.2um or Less i-Line Lit	thography by Phase-Shifting-Masl	k Technology", IEEE, pp. 33.3.1-33.3.4 (1990).
00107	Jinbo, H., et al., "Application of Blind Me Digest Of Technical Papers, pp. 112-113		hy", IEEE, 1992 Symposium On VLSI Technology
00108	Jinbo, H., et al., "Improvement of Phase-S 11B. pp. 2998-3003, November 1991.	Shifter Edge Line Mask Method",	Japanese Journal Of Applied Physics, Vol. 30, No.
00109	Karklin, L., "A Comprehensive Simulatio	n Study of the Photomask Defects	s Printability", SPIE, Vol. 2621, pp. 490-504 (1995)

-		Atty. Docket No.	Scrial No.
INFOR	MATION DISCLOSURE	NTI-019-5-1D	Filed Herewith
CITATION		Applicant	
		PIERRAT, Christ	ophe
	SUMMARY	Filing Date	Group
		Filed Herewith	•
	OTHER DOCUMENTS	(Including Author, Title	e, Date, Pertinent Pages, Etc.)
Ref ID	CITATION		
00110	Kimura, T., et al., "Subhalf-Micron Gate of Symposium, pp. 281-284 (1991).	GaAs Mesfet Process Using Phase	-Shifting-Mask Technology", IEEE, GaAs IC
00115	Lithas, "Lithas: Optical Proximity Correc	tion Software" (2 pages).	
00118	Microunity, "OPC Technology & Product	Description", MicroUnity System	s Engineering, Inc., pp. 1-5.
00120	Morimoto, H., et al., "Next Generation Mask Strategy - Technologies are Ready for Mass Production of 256MDRAM?", SPIE, Vol. 3236, pp. 188-189 (1997).		
00121	Nistler, J., et al., "Large Area Optical Des Technology, Vol. 2254, pp. 78-92 (1994).		Application", SPIE, Photomask And X-Ray Mask
00122	Nistler, J., et al., "Phase Shift Mask Defective INTERFACE '93, OCG Microelectronic I		ngs Of The Microlithography Seminar
00123	Ohtsuka, H., et al., "Phase Defect Repair Appl. Phys., Vol. 31, pp. 4143-4149 (199		ft Masks Conjugate Twin-Shifter Method", Jpn. J.
00124	Park, C., et al., "An Automatic Gate CD C	Control for a Full Chip Scale SRAI	M Device", SPIE, Vol. 3236, pp. 350-357 (1997).
00125	Pati, Y.C., et al., "Exploiting Structure in On Semiconductor Manufacturing, Vol. 1		or Integrated Circuit Patterns", IEEE Transactions 7.
00126	Pati, Y.C., et al., "Phase-Shifting Masks f Vol. 11, No. 9, pp. 2438-2452, September		Design and Mask Requirements", J. Opt. Soc. Am.,
00128	Precim, "Proxima System", Precim Comp	any, Portland, Oregon (2 pages).	,
00129	Precim, "Proxima Wafer Proximity Corre	ction System", Precim Company,	Portland, Oregon (2 pages).

Rieger, M., et al., "Customizing Proximity Correction for Process-Specific Objectives", SPIE, Vol. 2726, pp. 651-659 (1996).

Rieger, M., et al., "Mask Fabrication Rules for Proximity-Corrected Patterns", Precim Company, Portland, Oregon (10 pages).

00130

00131

INFORMATION DISCLOSURE CITATION

SUMMARY

Atty. Docket No.

Serial No.

NTI-019-5-1D

Filed Herewith

Applicant

PIERRAT, Christophe

Filing Date

Group

Filed Herewith

Filed Herewith
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
CITATION
Rieger, M., et al., "System for Lithography Proximity Compensation", Precim Company, Portland, Oregon, September 1993 (28 pages).
Rieger, M., et al., "Using Behavior Modeling for Proximity Correction", Precim Company, Portland, Oregon (6 pages).
Roman, B., et al., "Implications of Device Processing on Photomask CD Requirements", SPIE, Vol. 3236 (1997) (Abstract Only).
Spence, C., et al., "Automated Determination of CAD Layout Failures Through Focus: Experiment and Simulation", SPIE, Vol. 2197, pp. 302-313 (1994).
Spence, C., et al., "Detection of 60(degree) Phase Defects on Alternating PSMs", Advanced Micro Devices, KLA-Tencor, DuPont RTC (2 pages).
Stirniman, J., et al., "Fast Proximity Correction with Zone Sampling", SPIE, Vol. 2197, pp. 294-301 (1994).
Stirniman, J., et al., "Optimizing Proximity Correction for Wafer Fabrication Processes", SPIE, Photomask Technology And Management, Vol. 2322, pp. 239-246 (1994).
Stirminan, J., et al., "Spatial Filter Models to Describe IC Lithographic Behavior", Precim Corporation, Portland, Oregon (10 pages).
Stirniman, J., et al., "Wafer Proximity Correction and Its Impact on Mask-Making", Bacus News, Vol. 10, Issue 1, pp. 1, 3-7, 10-12, January 1994.
Sugawara, M., et al., "Defect Printability Study of Attenuated Phase-Shifting Masks for Specifying Inspection Sensitivity", Sony Corporation, Kanagawa, Japan (16 pages).
Trans Vector, "Now Better Quality Photomasks", Trans Vector Technologies, Inc., Camarillo, California (4 pages).
Vacca, A., et al., "100nm Defect Detection Using a Dynamically Programmable Image Processing Algorithm", SPIE, Vol. 3236 (1997) (Abstract Only).
Vacca, A., et al., "100nm Defect Detection Using an Existing Image Acquisition System", SPIE, Vol. 3236, pp. 208-21 (1998).
Watanabe, H., et al., "Detection and Printability of Shifter Defects in Phase-Shifting Masks II Defocus Characteristics", Jpn. J. Appl. Phys., Vol. 31, pp. 4155-4160 (1992).

INFOR	MATION DISCLOSURE	Atty. Docket No. NTI-019-5-1D	Scrial No. Filed Herewith
	CITATION	Applicant	
		PIERRAT, Christ	tophe
•	SUMMARY	Filing Date	Group
		Filed Herewith	
	OTHER DOCUMENTS	(Including Author, Title	e, Date, Pertinent Pages, Etc.)
Ref ID	CITATION .		
00150	Wiley, J., et al., "Device Yield and Reliability by Specification of Mask Defects", Solid State Technology, Vol. 36, No. 7, pp. 65-66, 70, 72, 74, 77, July 1993.		
00151	Wiley, J., et al., "The Effect of Off-Axis Illumination on the Printability of Opaque and Transparent Reticle Defects", SPIE, Vol. 2512, pp. 432-440 (1995).		
00152	Wiley, J., et al., "Phase Shift Mask Pattern Accuracy Requirements and Inspection Technology", SPIE, Integrated Circuit Metrology, Inspection, And Process Control V, Vol. 1464, pp. 346-355 (1991).		
00153	Yen, A., et al., "Characterization and Correction of Optical Proximity Effects in Deep-Ultraviolet Lithography Using Behavior Modeling", J. Vac. Sci. Technol. B, Vol. 14, No. 6, pp. 4175-4178, November/December 1996.		
00157	Cobb, et al., "Fast Sparse Aerial Image Calculation for OPC", SPIE, Vol. 2621, pp. 534-544, September 20-22, 1995.		

INFORMATION DISCLOSURE CITATION PTO-1449 APPLICANT Pierrat, et al. FILING DATE Filed Herewith FILING DATE Filed Herewith GROUP OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Ackmann, P. et al., "Phase Shifting And Optical Proximity Corrections To Improve CD Control On Logic Devices In Manufacturing For Sub 0.35 µm I-Line", Advance Micro Devices (8 pages). Asai, N. et al., "Proposal For The Coma Aberration Dependent Overlay Error Compensation Technology", Jpn. J. Appl. Phys., Vol. 37, pp. 6718-6722 (1998). Chen, J.F. et al., "Prill-Chip Optical Proximity Correction With Depth Of Focus Enhancement", Microlithography World (1997). Chen, J.F., et al., "Optical Proximity Correction For Intermediate-Pitch Features Using Sub-Resolution Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k ₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automated Proximity Correction For 0.35 µm I-Line Photolithography", IEEE, pp. 92-9 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Cor				A
APPLICANT Pierrat, et al. FILING DATE Filed Herewith GROUP OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Ackmann, P. et al., "Phase Shifting And Optical Proximity Corrections To Improve CD Control On Logic Devices In Manufacturing For Sub 0.35 µm I-Line", Advance Micro Devices (8 pages). Asai, N. et al., "Proposal For The Coma Aberration Dependent Overlay Error Compensation Technology", Jan. J. Appl. Phys., Vol. 37, pp. 6718-6722 (1998). Chen, J.F. et al., "Full-Chip Optical Proximity Correction With Depth Of Focus Enhancement", Microlithography World (1997). Chen, J.F. et al., "Optical Proximity Correction For Intermediate-Pitch Features Using Sub-Resolution Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k; ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k; ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 µm I-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography Il Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).	CITATION			_
FILING DATE Filed Herewith GROUP			APPLICANT Pierrat, et al.	
Ackmann, P. et al., "Phase Shifting And Optical Proximity Corrections To Improve CD Control On Logic Devices In Manufacturing For Sub 0.35 µm I-Line", Advance Micro Devices (8 pages). Asai, N. et al., "Proposal For The Coma Aberration Dependent Overlay Error Compensation Technology", Jpn. J. Appl. Phys., Vol. 37, pp. 6718-6722 (1998). Chen, J.F. et al., "Full-Chip Optical Proximity Correction With Depth Of Focus Enhancement", Microlithography World (1997). Chen, J.F., et al., "Optical Proximity Correction For Intermediate-Pitch Features Using Sub-Resolution Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k ₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 µm I-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990).			FILING DATE Filed Herewith	GROUP
Ackmann, P. et al., "Phase Shifting And Optical Proximity Corrections To Improve CD Control On Logic Devices In Manufacturing For Sub 0.35 µm I-Line", Advance Micro Devices (8 pages). Asai, N. et al., "Proposal For The Coma Aberration Dependent Overlay Error Compensation Technology", Jpn. J. Appl. Phys., Vol. 37, pp. 6718-6722 (1998). Chen, J.F. et al., "Full-Chip Optical Proximity Correction With Depth Of Focus Enhancement", Microlithography World (1997). Chen, J.F., et al., "Optical Proximity Correction For Intermediate-Pitch Features Using Sub-Resolution Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k ₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 µm I-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990).	ОТНЕ	CR DOCUMENTS (Including Author, Title, Date, Pertino	ent Pages, Etc.)
Jpn. J. Appl. Phys., Vol. 37, pp. 6718-6722 (1998). Chen, J.F. et al., "Full-Chip Optical Proximity Correction With Depth Of Focus Enhancement", Microlithography World (1997). Chen, J.F. et al., "Optical Proximity Correction For Intermediate-Pitch Features Using Sub-Resolution Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 μm I-Line Photolithography", IEEE, pp. 92-9 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k₁ Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).				
Microlithography World (1997). Chen, J.F. et al., "Optical Proximity Correction For Intermediate-Pitch Features Using Sub-Resolution Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 μm I-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k₁ Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).				ay Error Compensation Technology",
Scattering Bars", MicroUnity Systems Engineering, Inc., Sunnyvale, California, pp. 1-16. Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 μm l-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k₁ Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).		•	•	of Focus Enhancement",
Engineering, Inc., Sunnyvale, California (14 pages). Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k ₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 µm I-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k ₁ Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).	Chen, J.F Scattering	et al., "Optical Prog Bars", MicroUnity	ximity Correction For Intermediate-Pitc Systems Engineering, Inc., Sunnyvale,	h Features Using Sub-Resolution California, pp. 1-16.
SPIE, Vol. 2440, pp. 302-312 (1995). Garofalo, J. et al., "Automatic Proximity Correction For 0.35 μm I-Line Photolithography", IEEE, pp. 92-5 (1994). Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k₁ Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).				
Garofalo, J. et al., "Mask Assisted Off-Axis Illumination Technique For Random Logic", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2651-2658, November/December 1993. Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).	Garofalo SPIE, Vo	Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k ₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995).		
Gotoh, Y. et al., "Pattern Dependent Alignment Technique For Mix-And-Match Electron-Beam Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).				
Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205, November/December 1998. Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).				
Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography II Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).	Lithogray	Lithography With Optical Lithography", J. Vac. Sci. Technol. B, Vol. 16, No. 6, pp. 3202-3205,		
Vol. 1264, pp. 2-13 (1990). Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).				
For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).		Lin, B.J., "Methods To Print Optical Images At Low-k, Factors", SPIE, Optical/Laser Microlithography III, Vol. 1264, pp. 2-13 (1990).		
Precim, "Proxima System", Precim Company, Portland, Oregon (2 pages).	Pierrat, C For Phas	Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994).		
	Precim,	"Proxima System", F	Precim Company, Portland, Oregon (2 p	ages).
EXAMINER DATE CONSIDERED	EXAMINER		DATE CONSIDERED	

INFORMATION DISCLOSURE CITATION PTO-1449		ATTY. DOCKET NO. NTI-019-5-1D APPLICANT Pierrat, et al.	SERIAL NO. Filed Herewith
		FILING DATE Filed Herewith	GROUP
•	OTHER DOCUMENTS	(Including Author, Title, Date, Pertin	ent Pages, Etc.)
	Saleh, B. et al., "Reduction Of Errors Of Microphotographic Reproductions By Optimal Corrections of Original Masks", Optical Engineering, Vo. 20, No. 5, pp. 781-784, September/October 1981.		
-	Spence, C. et al., "Integration Of Optical Proximity Correction Strategies In Strong Phase Shifters Design For Poly-Gate Layers", <i>Bacus News</i> , Vol. 15, Issue 12, pp. 1, 4-13, December 1999.		
EXAMINER	XAMINER DATE CONSIDERED		

Serial No. Atty. Docket No. INFORMATION DISCLOSURE NTI-019-5-1D Filed Herewith CITATION Applicant PIERRAT, Christophe PTO-1449 Group Filing Date Filed Herewith OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) **EXAMINER'S** CITATION **INITIALS** Choi, Y., et al., "Optical Proximity Correction on Attenuated Phase Shifting Photo Mask for Dense Contact Array", LG Semicon Lucas, K., et al., "Model Based OPC for 1st Generation 193nm Lithography", Motorola Inc., IDT assignee to IMEC (12 pages). Stirmiman, J., et al., "Quantifying Proximity and Related Effects in Advanced Wafer Processes", Precim Compnay, Hewlett Packard Labs (9 pages). Sugawara, M., et al., "Practical Evaluation of Optical Proximity Effect Correction by EDM Methodology", Sony Corporation (11 Granik, Y., et al., "MEEF as a Matrix", Mentor Graphics Corporation (11 pages). Kang, D., et al., "Effects of Mask Bias on t he Mask Error Enhancement Factor (MEEF) of Contact Holes" (11 pages). Matsuura, S., et al., "Reduction of Mask Error Enhancement Factor (MEEF) by the Optimum Exposure Dose Self-Adjusted Mask", NEC Corporation (12 pages). Saleh, B., et al., "Reduction of Errors of Microphotographic Reproductions by Optimal Corrections of Original Masks", Optical Engineering, Vol. 20, No. 5, pp. 781-784, September/October 1981. Fu, C.C., et al., "Enhancement of Lithographic Patterns by Using Serif Features", IEEE, Transactions On Electron Devices, Vol. 38, No. 12, pp. 2599-2603, December 1991. Henderson, R., et al., "Optical Proximity Effect Correction: An Emerging Technology", Microlithography World, pp. 6-12 Dolainsky, C., et al., "Application of a Simple Resist Model to Fast Optical Proximity Correction", SPIE, Vol. 3051, pp. 774-780 Chen, J., et al., "Full-Chip Optical Proximity Correction with Depth of Focus Enchancement", Microlithography World (5 pages) (1997). Wong, A., et al., "Lithographic Effects of Mask Critical Dimension Error", SPIE, Vol. 3334, pp. 106-115 (1998). Spence, C., et al., "Integration of Optical Proximity Correction Strategies in Strong Phase Shifters Design for Poly-Gate Layers", Bacus News, Vol. 15, Issue 12, pp. 1, 4-13, December 1999.

		•
EXAMINER:	Date Considered:	

		Atty. Docket No.	Serial No.
INFORM	MATION DISCLOSURE	NTI-019-5-1D	Filed Herewith
	CITATION	Applicant	
		PIERRAT, Christophe	
PTO-1449		Filing Date	Group
		Filed Herewith	
	OTHER DOCUMENTS	(Including Author, Title, Date	e, Pertinent Pages, Etc.)
EXAMINER'S INITIALS	CITATION		
	Balasinski, A., et al., "Comparison of Mas Semiconductor Manufacturing Conference	k Writing Tools and Mask Simulations for e, pp. 372-377 (1999).	0.16um Devices*, IEEE, SEMI Advanced

EXAMINER:	Date Considered:
DIE IIII I DIC.	Date Considered.

Atty. Docket No. Serial No. NTI-019-5-1D INFORMATION DISCLOSURE Filed Herewith **CITATION Applicant** PIERRAT, Christophe PTO-1449 Group · **Filing Date** Filed Herewith OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) CITATION **EXAMINER'S** INITIALS Chuang, H., et al., "Practical Applications of 2-D Optical Proximity Corrections for Enhanced Performance of 0.25um Random Logic Devices", IEEE, pp. 18.7.1-18.7.4, December 1997.

	,			
EXAMINER:		Date Considered:	•	

INFORMATION DISCLOSURE CITATION		Atty. Docket No. NTI-019-5-1D Applicant PIERRAT, Christopl	Serial No. Filed Herewith
	PTO-1449	Filing Date Filed Herewith	Group
	OTHER DOCUMENTS	(Including Author, Title,	Date, Pertinent Pages, Etc.)
EXAMINER'S INITIALS	S CITATION .		
	Cobb, N., et al., "Fast, Low-Complexity M	ask Design", SPIE, Vol. 2440, pp. 31	3-327, February 22-24, 1995.
	Cobb, N., et al., "Experimental Results on Optical Proximity Correction With Variable Threshold Resist Model", SPIE, Vol. 3051, pp. 458-468, March 12-14, 1997.		
	Cobb, N., "Fast Optical and Process Proxim University of California at Berkeley, UMI		ated Circuit Manufacturing", Dissertation,
	Toublan, O., et al., "Phase Aware Proximit	y Correction for Advanced Masks",	SPIE, Vol. 4000, pp. 160-170, March 1-3, 2000.

EXAMINER:			Date Considered:	•	